TRAKHTEE BERGERAL	insh.		
Cimplifie felte. T	ed measurement of the molekst.gram. 20 no.2:57-	-69 # 160.	
	(Felt-Testing)		(Alda Lyta)

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4

Dyeing fabrics under the effect of electric currents. Tekst.prcm.

19 no.4:55-58 Ap 159. (MIRA 12:6)

(Dyes and dyeing-Apparatus) (Electrochemistry)

hii 10h

S/103/62/023/009/007/007 D201/D308

AUTHOR:

Trakhtenberg, R. M. (Ivanovo)

TITLE:

A method of coding of frequency ratios in automatic

devices

PERIODICAL:

Avtomatika i telemekhanika, v. 23, no. 9, 1962,

1254-1259

The author describes a method of coding by using a special binary code. It is based on the use of digital circuit elements for representing the Lissajous figures in the form of a binary code. Frequencies produced by trains of pulses of short duration are compared, superposed and it is determined whether a certain number of pulses of one of the frequencies occurs within the period of the other frequency. In this manner a sequence of pulse combinations is obtained, each combination representing a coded ratio of frequencies, i.e. a certain Lissajous figure. Coding and decoding formulas are derived. The accuracy of the method is discussed on the basis of analysis of possible resulting code combi-

Card 1/2

A PRODUCTION OF THE PROPERTY O

S/103/62/023/009/007/007 D201/D308

A method of coding ...

nations, and coding circuits are suggested. It is stated that:

1) The method is simple and can be easily applied to automatic processing. 2) Only simple digital circuit elements are required.

3) The proposed method of frequency superimposition may be successfully used for checking and/or automatic control of any physical quantity converted into an oscillation frequency. There are 5 figures.

SUBMITTED: March 20, 1962

Card 2/2

Method for coding frequency ratios in automatic devices. Avtom.

i telem. 23 no.9:1254-1259 S '62. (MIRA 15:10)

(Information theory)
(Automatic control)
(Telemetering)

Stabilizing the speed of an electric motor. Avtom.i prib. no.4:21-25 O-D '62. (MIRA 16:1) 1. Ivanovskiy energeticheskiy institut. (Electric motors) (Electronic control)

THE TAKES

EWT(d)/EWP(k)/EMP(h)/EMF(1)/EMP(v)ACC NR: AP6010287 SOURCE CODE: UR/0103/66/000/003/0125/0135 Trakhtenberg, R. M. (Ivanovo) ORG: none TITLE: Discrete integral action controller for electric drive speed SOURCE: Avtomatika i telemekhanika, no. 3, 1966, 125-135 TOPIC TAGS: speed regulator, digital system, electric motor ABSTRACT: A discrete integral action controller has been designed from digital components. The principle of the controller is based on a comparison of the measured and reference values by means of a static trigger, and on a discrete variation of the scale of the measured value. In this design, the counter functions as a frequency divider; the coding device, consisting of two triggers and delay line, is replaced by one trigger. Analytical and experimental studies of the excitation coil, the transfer function, the integral action of the controller and of the slave element were performed. It was found that an effective stabilization method of a control system with a dc source is a positive elastic current feedback. This is easily accomplished by the introduction of a differentiating transformer and a transistor operating on the natural pulses of the anchor current. In analyzing the dynamics and particularly the stability of the system, it is important to consider the decrease in the inductivity of the UDC: 62-531.6 Card 1/2

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

nue im	AP6010287						0
hain with	h ferromagn 22 formulas	netic material	on account	of the hyste	eresis. Orig.	art. has:	6
UB CODE:	09,13/	SUBM DATE:	120ct65/	ORIG REF:	006		
						•	
						•	
							<u> </u> -

TRAKHTENEERG, S.I.; SHUTER, L....; STEPANCHENKO, N.A. [Stepanchenko, M.A.]

SHTERN, A.A.; ZHURAVSKIY, V.A. [Zhuravs'kyi, V.A.]; KAPLAN, K.L.


Preparation of the modified MBK-258 casein and its use in the treatment of chrome leather. Leh. prom. no.1:46-48 Ja-Mr '65.

(MIRA 13:4)

TRAKHTENBERG, S.I.; KOROSTYLEVA, R.N.

Determination of the composition of products of graft copolymerization of esters of acrylic acid with casein. Dokl. ISI 5 no. 1/2:20-24 *63. (MIRA 17:6)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"



BERKMAN, Ya.P.; SHUTER, L.M.; TRAKHTENBERG, S.I.

建设金属器模型 建对对多数的对数据基础的现在分词

New protein acrylate film-forming agents for dye coating of leather. Kozh.obuv.prom. 4 no.1:20-23 Ja '62. (MIRA 15:3) (Films (Chemistry)) (Dyes and dyeing-Leather)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

Suppurative skin diseases in sugar factory workers. Sov. med. 22
no. 4:144-147 Ap '58 (MIRA 11:7)


1. In kafedry kozhno-venericheskikh belezney (zav. - prof. Ye.K.
Levin) Vinnitskogo meditsinskogo instituta.


(OCCUPATIONAL DISEASES,
pyoderma in sugar factory workers (Rus))

(PYODERMA, epidemiology,
in sugar factory workers (Rus))

horkop, t.b.; harrivenend, Ye.M.; Mandel Shrwyn, M.L.

Static characteristics of the rectifying tower. Form. : spirt. prom. 31 no.6:13-18 '65.





"APPROVED FOR RELEASE: 04/03/2001 CIA-R

CIA-RDP86-00513R001756420020-4

1. TRAKING MERCT, B. A.

- 2. USSR (600)
- A. Series
- 7. Recurring separation. Dokl. AN SSSR 88, No. 6, 1953.

Demonstrates the theorem that the set of all identically true formulas of a narrow functional calculus is inseparable recursively from the set of all formulas ultimately negated. A set N os called recursive if simultaneously N and its complement are recursively countable with the set of all natural numbers. Presented by Acad A.N.Kolmogorov 22 Dec 52.

9. Monthly List of Russian Accessions, Library of Congress, May 1953, Unclassified.

TRAKHTEMBRO?, B.A., kandidat fiziko-matematicheskikh nauk.

Analog representation of functions in finite classes. Uch.zap.
Pens.gos.ped.inst. no.2:61-78 '55. (MLRA 10:2)

(Functions)

TRAKHTENBROT BA

USSR/Mathematics

Card 1/1

Pub. 22 - 6/49

Authors

Trakhtenbrot, B. A.

Title

1 Tabular presentation of recurring operators

Periodical :

Dok. AN SSSR 101/3, 417-420, Mar 21, 1955

Abstract


A concept of the so-cailed signalizing function is outlined. This concept helps in clarifying some specific features of the primitive recurring calculation process and this in return, helps to establish a relationship between the recurring operations and the table conversion process described by Fost (the Post tabular presentation of recurring operators). Two references: 1 USA and 1 USSR (1944).

Institution :

.

Presented by :

Academisian A. N. Kolmogorov, December 25, 1954



TRAKHTEN BROT, B. A.

SUBJECT

AUTHOR

TITLE

PERIODICAL

PG - 305

CARD 1/2

PG - 305


The operators considered are partial recursive operators g = T[f] where f is a function of one variable and g is a function of one variable or a constant. On denotes the domain of full definition of the operator T, i.e. the set of all those fully defined functions f for which T[f] is also fully defined. The author gives examples to show how diverse the sets O_T can be. He then correlates each fully defined function f with the point $\langle f(0), f(1), \ldots \rangle$ of the Baire space J. A primitive recursive enumeration of the Baire intertuble is given and g set is called effectively open if it is representable in the form U of g where g is general recursive. Effective g is g in g is general recursive operator g is g in g in g in g in g in g is g in g. Theorem 1. Every partial recursive operator g is g in g is g in g i

Doklady Akad. Nauk 105, 897-900 (1955)

CARD 2/2

PG - 305

 $g(x) = b(\mu t(f \in \delta^{a(x,t)}))$ where a and b are primitive recursive. Theorem 2. A necessary and sufficient condition that there exists a partial recursive operator T such that $0_T = M$ is that M be an effective G_S . Effective continuity, uniform continuity, compactness and boundedness are then introduced and their relations investigated, e.g. Theorem 3. Every partial recursive operator gives an effectively continuous mapping of its full definition into J. Theorem 4. A mapping which is effectively continuous on an effectively compact set is effectively uniformly continuous on it. Theorem 5. If T is a partial recursive operator then on any effectively closed $M \subseteq 0_T$ it is general recursive. Finally various results are proved which bear on the problem of which functions are reducible to effectively closed points.




TRAKHIENBACI, B, A, Call Nr: AF 1108825 Transactions of the Third All-union Mathematical Congress (Cont.) Moscow Jun-Jul '56, Trudy '56, V. 1, Sect. Rpts., Izdatel'stvo AN SSSR, Moscow, 1956, 237 pp. (Cont.) Moscow, Muchnik, A. A. (Moscow). Solution of Post's Reduction Problem. 184 Sodnomov, B. S. (Ulan-Ude). Consistency of Projectivity of Some Uncommon Sets. 184-185 Trakhtenbrot, B. A. (Penza). Descriptive Classifications in Recursive Arithmetics. 185 Uspenskiy, V. A. (Moscow). Calculable Operations, Calculable Operators, and Constructively Continuous Functions. 185 There are 2 references, 1 of which is USSR, and another English. Uspenskiy, V. A. (Moscow). Concept of Program and Computed Operators. 186 Mention is made of Kolmogorov, A. N. Card 59,80

TRAKHTENHROT, B.A. (Penza)

Algorithms and the mechanical solution of problems. Wat.v shkele no.4:3-10 J1-Ag *56. (MIRA 9:9) (Algorism) (Calculating machines)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"



IKAKHTENBRUT, 13.A

SUBJECT AUTHOR

USSR/WATHEWATICS/Foundations of mathematics CARD 1/3 TRACHTENBROT B.A.

TITLE

The definition of the finite set and the deductive incompleteness

of the set theory.

PERIODICAL

Izvestija Akad. Nauk 20, 569-582 (1956)

reviewed 7/1957

The main results of this paper stem from an elegant lemma to the effect that there exist recursively enumerable sets E1, E2 which are strongly inseparable, i.e. such that 1) $E_1 \cap E_2 = 0$, 2) if M is any recursively enumerable set then if $M \setminus E_1$ is infinite $M \cap E_2 \neq 0$ and if $M \setminus E_2$ is infinite then $M \cap E_1 \neq 0$, 3) N \sim (E₁UE₂) is infinite, where N is the set of all natural numbers. Since it is easily shown that strongly inseparable sets are recursively inseparable but not effectively inseparable, and are non-universal this answers affirmatively a question of Novikoff "Do there exist non-universal recursively inseparable sets?" and a question of Uspensky "Do there exist recursively inseparable sets which are not effectively inseparable?". The author goes on to consider many other questions concerned with recursively inseparability. He proves for example, that every simple set H which is not hypersimple is representable in

CIA-RDP86-00513R001756420020-4

Izvestija Akad. Nauk 20, 569-582 (1956)

CARD 2/3

PG - 996

the form H₁UH₂ where H₁, H₂ are disjoint recursively inseparable recursively enumerable sets, and asks whether this is also true for hypersimple H. He defines a set of pairs as a set E, such that there exists a recursively enumerable set E_2 with $E_1 \cap E_2 = 0$ and E_1 , E_2 strongly inseparable. He defines a recursively enumerable set H to be simple with respect to a containing set E if E NH is an infinite set containing no infinite recursively enumerable subset. He proves inter alia that if E, E are recursively inseparable recursively enumerable sets and H is simple with respect to E, then H is recursively inseparable from E, and that a set of pairs is not simple with respect to any recursively enumerable set. He asks whether there exists a recursively enumerable set neither simple nor a set of pairs with respect to any recursively enumerable set; also whether a universal set can be simple with respect to a non-universal set (or vice-versa). He considers the behavior of recursive separability under computable homomorphism. Finally he generalises the notion of separability to that of K-separability, viz: Let K be any ring of sets in a space M. Call E, E2 of M K-separable if there exist sets G1, G2 of K such that $E_1 \subset G_1$, $E_2 \subset G_2$, $G_1 \cup G_2 = M$, $G_1 \cap G_2 = E_1 \cap E_2$. If K is the

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4

Izvestija Akad. Nauk 20, 569-582 (1956)

医神经性性 医二氏性 医甲状腺 经国际证明

CARD 3/3

PG - 996

ring of recursively enumerable sets he calls \mathbf{E}_1 , \mathbf{E}_2 recursively enumerable. He shows that, although a simple set is recursively separable from any recursively enumerable set disjoint from it, nevertheless there exist two simple recursively enumerable inseparable recursively enumerable sets. Finally he asks whether fro each recursively enumerable set which is not recursive there a recursively enumerable set which is recursively enumerable inseparable from it.

TRACHTRIBBOT. Boris Avrasmovich; GORYACHAYA, M.M., red.; YERMAKOVA, Ye.A., tekhn.red.

[Algorithms and mechanical solution of problems] Algoritmy i mashinnoe reshenic zadach. Moskva, Gos. izd-vo tekhniko-teoret. lit-ry, 1957. 94 p. (Populiarnye lektsii po matematike, uo.26) (Galculating machines)

(MIRA 11:4)

(Algorism)

TRAKHTENBROT, B. A. and KOBRINSKIY, N. B.

"Construction of a General Theory of Logical Systems," a paper given at the Conference of European Statisticians Meeting on Data-Processing Electronic Machines, Geneva, 21-24 Imnuary 1957

4036051

149 HICH IDAGNATHARY

Subject

USSR/MATHEMATICS/Foundations of mathematics CARD 1/1 PG - 878

AUTHOR

TRACETEMBROT B.A.

TITLE PERIODICAL On operators being realisable in logical nets.

Boklady Akad. Hauk 112, 1005-1007 (1957)

reviewed 6/1957

The present paper concerns some generalisations of the results of Burks and Wright (Proc.Inst.Rad.Eng. 41, 10 (1953)) and Sestakov (Avtomat.i. Telemech. 15, 2 and 4 (1954); Doklady Akad. Wank 99, 6 (1954)). A well-known result of Moore is given.

INSTITUTION: Educational Institute, Pensa.

A就看講覧:計畫: 新工工分类性19-12.

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

I KHKH IL-WEKOT B. A

CHARLICH AL DIN MENDATUM COTTONIO INCOLUNIS RECORDINATION DESCRIPTION DE LA PROPERTICION DE LA PROPERTICION

16(1) - کا . دلج

PHASE I BOOK EXPLOITATION

SOV/1708

Akademiya nauk SSSR. Matematicheskiy institut

- Sbornik statey po matematicheskoy logike i yeye prilozheniyam k nekotorym voprosam kibernetiki (Collection of Articles on Mathematical Logic and Its Applications to Certain Problems of Cybernetics) Moscow, Izd-vo AN SSSR, 1958. 362 p. (Series: Its: Trudy, t. 51) 3,500 copies printed.
- Resp. Ed.: S.V. Yablonskiy, Candidate of Physical and Mathematical Sciences; Ed. of Publishing House: A.Z. Ryvkin and L.K. Nikolayeva;
- PURPOSE: This collection of articles contains original contributions of Soviet mathematicians in mathematical logic and is intended for
- COVERAGE: The articles deal with studies of problems connected with mathematical logic and their applications to certain problems of cybernetics. Primarily, Switching circuits are studied, but many Card 1/7

Collection of Articles on Mathematical Logic (Cont.)

of the results obtained are of a more general character. The content of the collection of articles is closely connected with SOV/1708 many branches of cybernetics which study the methods of describing the processing of discrete information, problems of the analysis and synthesis of control systems, and methods of controlling the performance of control systems. The characteristic feature of these articles is their connection with various fields of mathematics such as mathematical logic, combination analysis, set theory, algebra, topology and theory of numbers. All articles were written in the years 1954-1955, and the concepts presented are arranged in the book in a systematic order. The first articles concern problems of mathematical logic, then problems of the theory of the synthesis of circuits are examined, and finally problems of the theory of controlling the performance of circuits are considered. The editor thanks Professor A.A. Lyapunov, Professor S.A. Yanovskiy, B.Yu. Pil'chak, A.P. Yershov, V.A. Uspenskiy, and Yu.I. Yanov for their remarks in connection with the final editing of the collection.

TABLE OF CONTENTS:

Preface Yablonskiy, S.V. Functional Construction in k-valued Logic

Collection of Articles on Mathematical Logic (Cont.) Introduction	SOV/1708
Ch. I. Foundations of Logic Algebra and the Theory of Switching Circuits 1. Functions of the logic algebra and some of their properties 2. Criteria for the completeness of systems of function of normal forms 4. Technique of construction of simplified and minimal d.n.f. [disjunctive normal forms]	5 7 7 ns 12 8
6. Functions of the logic algebra as a mean for a definition of an n-place operator over a field of two numbers [0, 1]. Types of functions	29
7. Systems of the Pk function. Superposition of	56
8. Homomorphism of systems of functions ard 3/7	56 58 60

Collection of Articles on Mathematical Logic (Cont.)	SOV/1708
systems. Theorem on functionally	Δ.
11. Basic lemma	61
12. Criterion of completeness	68
13. Closed classes with a finite banks	70
13. Closed classes with a finite basis. "Precomplete"	10
	77
16. Classes of monotone functions	81
17 Classiff tune tions of type m	82
17. Classes of functions of type T 18. Classes Ike(x) of linear type U	77 81 82 85
19. Classes ins(x) of linear functions	91
18. Classes of functions of type U 19. Classes $I_{s}^{k}(x)$ of linear functions 19. Classes $I_{s}^{k}(x)$ of self-binary functions 19. Ch. III. Functional Complete	93
Ch. III. Functional Command	100
Ch. III. Functional Completeness in Three-valued Logic	
CI. MONMATALA	109
in Pa and committee on functional committee	109
in P ₃ and consideration of a plan for proof 22. Certain lemmas for functions from P ₃ 23. Proof of a theorem on functions 1 completeness	
23. Proof of a theorem on attoms from P3	113
	115
References	123
rd 4/7	141

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

THE PERSONAL PROPERTY OF THE PROPERTY OF THE PERSON OF THE

Collection of Articles on Mathematical Logic (Cont.)	5077 /2 0
Lhuravley, Yu.I. On the Control	SOV/1708
Lhuravlev, Yu.I. On the Separability of Subsets of Vertices an n-dimensional Unit Cube	of
Introduction	143
1. Statement of Problem	143
2. Solution of Logical Separability Problem	143
3. On the Selection of Truth Variables	145
References	151
Lupanov. O.B. On the D.	157
Lupanov, O.B. On the Possibilities of a Synthesis of Circuit of Arbitrary Elements	ts
References	158
Kuznetsov, A.V. On the Property of Functions Realized by Nonplanar Circuits With Nonrepeating Contact	173
Card 5/7	174

Collection of Articles on Mathematical Logic (Cont.) SO	W /1 700
Carlo OBOV. A.V. On Manne	V /1708
Kuznetsov, A.V. On Nonrepeating Switching Circuits and Non- repeating Superpositions of Functions in Logic Algebra Trakhtenbrot, B.A. On the Theory of Nonrepeating Switching	186
Introduction	226
1. Graphs, networks, and Circuits	226
subgraphs subgraphs	226
3. Separation of separable networks	232
· Deparable circuits	238
5. Synthesis of nonrepeating circuits	245
References	255
Chegis, T.A. and S.W. was	269
Chegis, I.A., and S.V. Yablonskiy. Logical Means of Control of Electrical Circuit Performance	
Introduction	270
Card 6/7	270

the state of the s	
Collection of Articles on Mathematical Logic (Cont.) Ch. I. General Theory of the Construction of Tests 1. Tables of fault functions and means for their 2. Tests and that	SOV/1708 270
2. Tests and their construction 3. Certain rules for test construction 4. Construction of test for dual circuits 5. Unit tests Ch. H. Methods of Construction of Tests for Individual	272 280 285 294 304
o. Tests for circuits which realize the elementary	307
8. Test for circuit which realizes the linear function 9. Ordered and conditional tests 10. Test for a binary adder circuit	326 334
References	339
AVAILABLE: Library of Congress Card 7/7 LK/ad 6-16-59	360

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

一点。这一种的特別學出於自然是這些問題的問題的學家可以

1 AHAHIEABKOT, UA

nuruon:

Nagibin, F.F., (Kirov)

SOV/3-58-12-28/43

TITLE:

Intervuz Scientific and Methodical Conference of Chairs of Mathematics (Konferentsiya matematicheskikh kafedr)

PERIODICAL:

Vestnik vysshey shkoly, 1958, Nr 12, pp 75 - 76 (USER)

ABGme ACT:

The yearly scientific-methodical conferences of the chairs of mathematics of the pedagogical institutes of the Ural have become a tradition. The 16th Conference which took place at the Kirovskiy pedagogicheskiy institut (Kirov Pedagogical Institute) was attended by 162 instructors of 50 vuzes from all over the country. Professor A.I. Markushevich, RSFSR Deputy Minister of Education, participated at the conference. At the plenary meetings, the following reports were discussed: Professor V.I. Levin (Moscow) on the development of instruction in mathematics at secondary schools: Professor A.I. Markushevich - on the concept of values; Docent B.A. Trakhtenbrot (Penza) - on the experience gained in teaching the elements of mathematical logic in a pedagogical vuz; Professor L.I. Volkovyskiy (Perm') - on the organization of work in a special seminar on mathematics; Docent N.N. Kharin (Kirov) - on contradictions in mathematics. Five sections were functioning during the conference. The reports of the following lecturers were heard: Ye.S. Berezanskaya, V.S. and L.S.

Card 1/2


Intervuz Scientific and Methodical Conference of Chairs of Mathematics

Karnatsevich, P.A. Budantsev, and N.C. Kilina. The proceedings of the conference will be published. The next conference will take place in the Orenburgskiy pedagogicheskiy institut (Orenburg Pedagogical Institute) during the winter vacation of 1958/59.

Card 2/2

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

<u>工程表表表表表表表示,工程是不</u>



ACCESSION NR: AP4012350

8/0199/64/005/001/0186/0191

AUTHOR: Trakhtenbrot, B. A.

TITLIF: An estimation of the weight of a finite tree

SOURCE: Sibirskiy matematicheskiy zhurnal, v. 5, no. 1, 1964, 186-191

TOPIC TAGS: tree, finite tree, memory, memory size, computer language, transliteration, machine translation

ABSTRACT: Using elementary combinatorial arguments, the author establishes an apriori estimate for the size of the memory of a finite automaton which is required to transform a word written in an input alphabet of m letters into an output alphabet of n letters. The argument is centered around a previously proven result by the same author (Doklady Ak. Nauk SSSR, 112, No. 6 (1957), pp. 1005-1007). Using the following notations: (1) Let V_{\min} (μ) be the set of all finite trees of height μ for a fixed input alphabet of m letters and an output alphabet of n letters, (2) D_{\min} (μ) be the number of trees in V_{\min} (μ), and (3) C_{\min} be a constant depending on m and n. The author establishes: Theorem 1: If k(V) denotes the magnitude of the weight of tree V, then as $\mu \longrightarrow \infty$, for every $V \in V_{\min}(\mu)$,

 $h(v) < \frac{Co^{-1/2}}{\mu} \{1 + o(1)\}; \tag{1}$

1/3

TOTAL IN THE WAY IN THE PROPERTY OF THE PROPER

APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4"

ACCESSION NR: AP4012350

moreover, for each & > 0, for those trees satisfying

$$k(v) < (1-\epsilon) \frac{Cm^{\nu+1}}{\mu}$$
 (2)

we find that k tends to zero for $\mu \to \infty$. Theorem 2: For any choice of m and n, there e exists an increasing sequence $\{\mu_i\}$ such that for all trees $v \in v_{mn}(\mu_i)$

$$k(o) < \frac{Cm^{\mu_I+1}}{\mu_I}[1+o(1)].$$
 (3)

Moreover, for arbitrarily large $\mu,$ there exist m and n such that for one or more trees $v \in v_{mn}(\mu),$ we have

$$k(v) > \frac{Cm^{\nu+\alpha}}{\mu} \,. \tag{4}$$

The author then discusses the choice of the parameters m and n and their effect upon the size of memory needed. It is shown that an optimal choice must be such that $\log_m n$ is rational. Finally, the construction of optimal trees is discussed. Orig. art. has: 3 figures and 10 formulas.

Card

2/3

ACCESSION NR: AP4012350

ASSOCIATION: none

SUBMITTED: 22Nov62

SUB CODE. DP, MA

DATE ACQ: 26Feb64

ENCL: 00

NO REF 80V: 003

OTHER: 000

Card 3/3

AUTHOR:

Trakhtenbrot, B.A.

20-118-4-6/61

TITLE:

Synthesis of Logical Nets, the Operators of Which are Described by Means of the Monadic Predicate Calculus (Sintez logicheskikh setey, operatory kotorykh opisany sredstvami ischisleniya odnomestnykh predikatov)

PERIODICAL: Doklady Akademii Nauk, 1958, Vol 118, Nr 4, pp 646-649 (USSR)

A \(\Lambda\)-operator is an operator

 $Z(t) = T \left[X_1, \dots, X_n, t\right]$

which changes the system $\{X_i(C)\}$ (time C=1,2,...) of initial predicates into the final predicate Z(t) being defined with the aid of the canonical system

$$Z(t) = \phi[x_1(t), \dots, x_n(t), \Gamma_1(t), \dots \Gamma_k(t)]$$

$$\Gamma_{\nu}(t+1) = \psi_{\nu}[x_1(t), \dots, \Gamma_1(t), \dots, \Gamma_k(t)]$$

 $\Gamma_{\gamma}(1) = 6_{\gamma}$ (initial state),

Card 1/2

where ϕ and ψ , are functions of the propositional calculus

Synthesis of Logical Nets, the Operators of Which are 20-118-4-6/61 Described of the Monadic Predicate Calculus by Means

> and 6_{ν} are the constants 0 or 1, $\nu = 1, ..., k$. The formulas are the usual formulas of the extended monadic predicate calculus, where the predicate quantors are bounded. A formula is a t-formula if in it there appears exactly one variable and all predicate quantors are t-controllable. The notion "t-controllable" is introduced inductively. Theorem: Every A -operator is described by a t-formula. Theorem: Every t-formula with the free variables X_1, X_2, \dots, X_n describes a Λ -operator which acts on the predicate system $\{x_i\}$. There are 4 Soviet references.

ASSOCIATION: Penzenskiy gosudarstvennyy pedagogicheskiy institut im. V.G.

Belinskogo (Penza State Pedagogical Institute im. V. G. Belinsky) PRESENTED: July 18, 1957, by M.V. Keldysh, Academician

SUBMITTED: July 16, 1957

AVAILABLE: Library of Congress

Card 2/2

' '	<i>H</i> <u>K</u>	•	Ę	o T B.	A	214	236	577		
		Neacow. Dom munches-telenichesion propaganty im. F. S. Desthinshop Publisitealumys telenish i yeys primonatys (Computation Technique end its Appliestion) Neacow, Cosacomprosidate, 1959, 991 Technique end its porsepremitramentys Politichesists i munches, 1997, 991 (Series Cebebeste)	Mi. (Title page): 3, 4. Lebedre, dondamiciss; Ed. (Inside book): 7,000 copies Tech. Ed.: G. 1. Matveys: "URPOGE: Tale sollection of articles is intended for actuals.	and analog computers. It may also be used by students and operation of distint is computers. The computers of the computers of the computers of vises specialising coverable. The authors present fundamentals of distinct computers, they discuss the possibility of construction of an experiment. They discuss the possibility of construction computers, they are obtained as a fundamental of a second and a second as a fundamental and are also as a fundamental and a	and the computers and that alternate. Strategies and explain the operation that summants is also presented. The articles were presented at a computer Described by Forest March 1970 and the computer of the plaint of the computer P. D. Sharklantty [Money Carter for Satentific and "echales Property and the computer of t	The subject of a poor Maply for Electronic Comprises describes sethed of contrasting processes of electronic computers and fare the 10 references 7 Societ and 2 Equits.	oal Sciences. Some Problems in the Parallel, series and series-paral- featit. He considers Equipments properting programs. There are no	Tochical Sciences, and B. dammed Calbearical Sciences, Punicase- 11s and epithesis of logical sethods of transforming and coding		
	(2)82	Monoov. Dom sauchno-telumich Tythisitelimays telumis 1 ye Apticelina; Noscot, Cose Prispostinaeniy politic prished	Ed. (Title page); 3, 4, Lobes Tech. Ed.; G. I. Matvayer. FURCAI: This collection of an and technical passences of an	and malog computers. It is a computer. It is a computer. It is and units of the computer of th	Marches computers and thair intermental is also presented as arranged by Festersity day F. D. Derrallankiy) in 1957, opposer at the end of ecce ark!	Modertator, O. E. Power Supply the subbr discusses power sup- describes setheds of construct There are 10 references 1 See	Design of Special Elegans of the Special Elegans of Cample Lad digital computers and thousand the Tallor operator of computers and discusses much manages.	Refrighting Law Professor, Dortor or Tribibuthary Lawitsta of Prostant and I also suther consider problem of any interest problem of any interest problem of any interest in computers. They describe Cart 6/8 mistor and affects and of any described Cart 6/8 mistor and affects used. They		

16(1)

AUTHOR:

Trakhtenbrot.B.A.

507/20-127-2-13/79

TITLE:

Asymptotic Estimate of the Complexity of Logical Nets Endowed

With Memory

PERIODICAL: Doklady Akademii nauk SSSR, 1959, Vol 127, Nr 2, pp 281-284 (U3SR)

ABSTRACT:

O.B. Lupanov has found a method for the synthesis of certain logical nets (sc-called "schemes of functional elements") with the aid of which the asymptotic formula (compare Ref 17)

 $L(n) \sim g \frac{2^n}{n}$ (1)

or

 $L(n) \sim g \frac{\lg Q(n)}{\lg \lg Q(n)},$ (11)

where Q(n) is the number of all functions of the logical algebra, could be obtained. In the present paper the same problem is treated for logical nets with memory, where the base may contain elements of retardation and the formation of loops of regression

Card 1/2

The fact with the front particle and the fact of the f

12

Asymptotic Estimate of the Complexity of Logical SOV/20-127-2-13/70 Nets Endowed With Memory

is admitted. An analogue of (1') is proved. 4 theorems and a series of definitions and remarks are formulated. There are 5 references, 4 of which are Soviet, and 1 American.

ASSOCIATION: Penzenskiy politekhnicheskiy institut (Penza Polytechnical Institute)

PRESENTED: April 2, 1959, by M.V.Keldysh, Academician

SUBMITTED: March 31, 1959

Card 2/2

PHASE I BOOK EXPLOITATION

SOV/5284

Trakhtenbrot, Boris Abraamovich

- Algoritmy i mashinnoye resheniye zadach (Algorisms and the Mechanical Solution of Problems) 2d ed. [rev. and enl.] Moscow, Fizmatgiz, 1960. 117 p. 25,000 copies printed.
- Ed. (Title page): S. V. Yablonskiy; Ed.: M. M. Goryachaya; Tech. Ed.: I. Sh. Aksel'rod.
- PURPOSE: This book is intended for advanced students, instructors, engineers, technicians, and other readers interested in the new computing techniques.
- COVERAGE: The book considers, in popular form, a number of problems on the boundary between mathematical logic and the theory of automatic computing machines. The theory of algorisms and its connection with modern computer mathematics is treated. The author discusses in detail the development of the concept of algorisms, the operating principle of modern high-speed

Card 1/4

Algorisms and the Mechanical (Cont.)

SOV/5284

calculating machines, the fundamentals of programming, the design configuration of Thüring's calculating machine, and problems which are not solvable by the method of algorisms. The book is based on popular lectures and surveys given by the author and on an article with the same title which he wrote for the journal Matematika v shkole, nos. 4 and 5, 1956. The book was supplemented with new material and considerably revised for the second edition. Sections 2, 12, and 13 are entirely new. Emil Post, P. S. Novikov, and G. S. Tseytin are mentioned in the text. There are 5 references: 4 Soviet and 1 English.

TABLE OF CONTENTS:

Preface

3

Introduction

5

Numerical Algorisms

7

Card 2/4

TRAKHTENBROT, B.A.

Some constructions in the logic set of one-digit predicates. Dokl. AN SSSR 138 no.2:320-321 My '61. (MIRA 14:5)

1. Predstavleno akademikom P.S. Novikovym. (Electronic calculating machines) (Calculus of predicates)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

28665 S/020/61/140/002/010/023 B109/B125

16.6800

AUTHOR:

Trakhtenbrot, B. A.

TITLE:

Finite automatic devices and the logic of one-place predicates

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 140, no. 2, 1961, 326-329

TEXT: Previous papers of the author (Ref. 1: DAN, 118, no. 4 (1958); Ref. 2: DAN, 138, no. 2 (1961)) and of J. R. Büchi (Zs. f. Math. Logik u. Grundl. d. Math., 6, 66 (1960)) dealt with the relationship between finite automatic devices and formal language, basing on the logic of one-place predicates under restrictive conditions. These restrictions are eliminated in the present paper, and the following problems regarding the I-language (Ref. 2) are dealt with: 1) Finding out which sets and operators can be described in the I-language; 2) oriterions for the existence of finite operators satisfying a given formula from I; 3) study of the transition from one formula to the corresponding canonical equation. Notation: the same as that adopted in Refs. 1 and 2, with the only difference that t-formulas of Ref. 1 are referred to as lower t-formulas. Upper

Card 1/4

具型的**的**网络只能的现在分词 的复数多数数的 的复数

28665 8/020/61/140/002/010/023 , B109/B125

Finite automatic devices and the logic ... B109/B125 t-formulas differ from lower t-formulas in that the determination of the t-controllable quantor necessitates to write everywhere "on" as, e. g., in (EI) [X(T)&(EI)] (f) [(f)]. Furthermore, a recursive operator, reducing [X] the system of the predicates [X] to the system [X] is supposed to be called finite if it can be written in canonical equations (see Ref. 1, formula (2)). The set [X] is taken as homogeneous of the degree [X] if there are not more than [X] is different sets in all various [X].

The sets $\hat{X}\mathcal{O}(X)$, $\hat{XY}\mathcal{O}(X,Y)$, ... are referred to as I-definable. The following theorems are then valid: Theorem 1: There is an algorithm reducing an arbitrary formula $\mathcal{O}(X_1,X_2,\ldots X_m)$ from I to an equivalent formula of the particular form $\{1,\ldots,n_n\}$, where $\{1,\ldots,n_n\}$ where $\{1,\ldots,n_n\}$ denotes a function of the algebraic logic, $\{1,\ldots,n_n\}$ stands for the lower t-formula, $\{1,\ldots,n_n\}$ is the upper t-formula. Theorem 2: All I-definable sets are homogeneous.

Card 2/4

28665 \$/020/61/140/002/010/023 B109/B125

Finite automatic devices and the logic ... Theorem 3: Each closed homogeneous set is I-definable by a formula of the form [predicate-like quantors] (t) [quantorless part]. Theorem 4: If \mathcal{M}_{-} $\stackrel{\wedge}{\text{XY}}\mathcal{O}_{1}(X,Y)$ is a graph of a continuous, everywhere defined function Y = T[X], T will be a finite operator. Theorem 4': $XY\alpha(X,Y)$ is supposed to be closed. There will be a solution with a finite operator of the weight $\langle k \text{ if } \mathcal{O}(X,Y) \text{ has a continuous solution. An operator without}$ anticipation occurring in the process entails the existence of a certain L-operator of the weight(k. The following theorem serves for solving the problem of finding all solutions of α represented by finite automatic devices: An L-operator Y = T(X,U,V) will be a general L-solution of the formula $\mathcal{A}(X,Y)$ if: 1) all L-solutions $\mathcal{A}(X,Y)$ can be obtained from T by substituting U by L-operators $U=T_{u}(X), V=T_{v}(X)$; 2) an L-solution is obtained by any substitution of the variables U,V in T by the L-operators $T_{ij}(X)$, $T_{ij}(X)$. Then, theorem 5 is valid: Two alternative possibilities arise if there is such a formula $\mathcal{O}_{\mathcal{I}}$ that $\hat{X}\hat{Y}\mathcal{O}\mathcal{U}(X,Y)$ is closed: 1) In general, α has no solution without anticipating; 2) there is a general L-solution for

Card 3/4

京都 超点生化

28665
Finite automatic devices and the logic ... 8/020/61/140/002/010/023
B109/B125

 $\mathcal{O}l$ with a weight not exceeding the degree of homogeneity. This solution is the general D-solution. There are 9 references: 4 Soviet and 5 non-

ASSOCIATION: Institut matematiki s vychislitel nym tsentrom Sibirskogo otdeleniya Akademii nauk SSSR (Institute of Mathematics and Computer Center of the Siberian Department of the Academy of Sciences USSR)

PRESENTED: May 16, 1961, by P. S. Novikov, Academician

SUBMITTED: April 29, 1961

Card 4/4

KOBRINSKIY, Natan Yefimovich; TRAKHIENBROT, Boris Avraamovich; BIRYUKOV, B.V., red.; TURASHOVA, N.Ya., tekhn. red.

[Introduction to the theory of finite automata] Vvedenie v teroiiu konechnykh avtomatov. Moskva, Gos.izd-vo fiziko-matem. lit-ry, 1962. 404 p. (MIRA 15:5)

(Automatic control) (Electronic calculating machines)

(Electronic digital computers)

33243 s/199/62/003/001/003/003 B112/B108

16.7000 AUTHOR:

Trakhtenbrot, B. A.

TITLE:

Finite automata and logic of one-digit predicates

PERIODICAL:

Sibirskiy matematicheskiy zhurnal, v. 3, no. 1, 1962, 103-131

TEXT: The author considers an arithmetical theory I which consists of subject variables, predicate variables, functions of immediate consequence, atomic formulas, and operators of logical decision. A formula $\mathcal{O}(X_1,\ldots,X_n,t)$ is said to be t-controllable from above if each of its

quantors is bounded from above (t-controllable from below if each of its subject quantors is bounded from below). A formula which is t-controllable from below is said to be an upper t-formula if each of its subject quantors is bounded from below by a free variable t. The algorithm of I consists of two processes: elimination of subject quantors and elimination of predicate quantors. An important result is the following: There is an algorithm which transforms each formula $\mathcal{A}(X_1,\ldots,X_n)$ into an equivalent formula of the form $\Omega[\Gamma_1, \Gamma_2, \ldots, \widetilde{\Gamma}_1, \widetilde{\Gamma}_2, \ldots]$, where Ω is a logical algebraic function

Card 1/2


332h3 \$/199/62/003/001/003/005

Finite automata and logic of ...

and where Γ_i and $\widetilde{\Gamma}_i$ are lower and upper t-formulas. The properties of the sets (numbers and predicates) and of the operators which are definable in I are investigated. Specially, A-operators (which can be realized in finite automata and algorithms which produce A-operators are studied (problem of decidability and problem of synthesis). V. I. Shestakov is mentioned There are 12 references: 8 Soviet and 4 non-Soviet. The four references to English-language publications read as follows: Church A., Application of recursive arithmetic in the theory of computers and automata, Univers. Michigan, 1959; Buchi J. R., Weak second order Arithmetic and finite Automata, Zeits. für mathem. Logik und Grundlagen der Mathematik, 6 (1960) Robinson R. M., Restricted set-theoretical definitions in Arithmetic, Proc. Amer. Math. Soc., 9, N 5 (1958), 238 - 242; Putnam H., Decidability and essential undecidability, J. Symb. Logic, 22, N 1 (1957), 39-54.


SUBMITTED: May 15, 1961


Card 2/2



APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

ase 2 legarious of the	m-parameter expedient (3-	dimensional space).	The proof 18	then
operator element may) Ferenced. Jing. div.	store Adams		
TEMINITED: 4De-F1			San San	.*.
DUB CUDE. Di	Section 3 e	7.4	C file	





"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4


Madrandh combaca	tion of functions.	Alg. 1 log. 2 no	(1010 12)	
*63.			(MIRA TET.)	

TRAKHTENBAJT, B. A.

Dissertation defended for the degree of Doctor of Physicomathematical Sciences at the Joint Scientific Council on Physicomathematical and Technical Sciences; Siberian Branch

"Investigations on the Synthesis of Terminal Automatic Machines."

Vestnik Akad. Nauk, 40. 4, 1963, pp 119-145



TRAKHTENGERTS, Anatoliy Yakoylevich; MOCKOVSKIY, F.A., rcd.;

SAVELYEV, V.I., red.; LARIONOV, G.Ye., tekhm.red.

[Accounting for capital inventments and capital construction]

Bukhgalterskii uchet kapital'nykh vlozhenii i kapital'nogo

stroitel'stva. Pod red. F.A.Moskovskogo. Mockva, Gosenergo
(MIRA 15:11)

izdat, 1962. 565 p.

(Capital investments—Accounting)

(Construction industry—Accounting)

TRAKHTENGURTS, Anatoliy Yakevlevich

Promyshlennyy uchet na elektrostantsiyakh, zavodakh i torforrediriyatiyakh "Industrial Accounting in Pover Flants, Factories, and Peat Processing Plants," by A. Ya. Trakhtengerts i V. F. Kobayenkov. Moskva, Gosenergoizdat, 1958.

309 p. diagrs., tables. "Literatura": p. 311

TRAKHTENGERTS, Anatoliy Yakovlevich; KOBAYENKOV, Vladimir Fedorovich; MOSKOVSKIY, F.A., redaktor; SAVEL YEV, V.I., redaktor; IARIONOV, G.Ye., tekhnicheskiy redaktor

[Accounting for the material and equipment supply in major construction] Uchet predmetov material no-tekhnicheskogo snabzheniia v kapital nom stroitel stve. Pod obshchei red. F.A. Moskovskoniia v kapital nom stroitel stve. Pod obshchei red. F.A. Moskovskoniia v kapital nom stroitel stve. Pod obshchei red. F.A. Moskovskoniia v kapital nom stroitel stve. Pod obshchei red. F.A. Moskovskoniia v kapital nom stroitel stve. 1956. 135 p. (MIRA 9:9) go. Moskva. Gos. energ. izd-vo. 1956. 135 p. (MIRA 9:9)

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

Hold Bull Charles and Art Park

L 2698-66

ACCESSION NR: AT5023167

UR/0000/65/000/000/0101/0112

AUTHOR: Trakhtengerts, E. A. (Moscow); Yurchenko, V. Ye. (Moscow)

3+1

TITLE: A system of commands for control computers

SOURCE: Vsesoyuznaya konferentsiya po avtomaticheskomu operativnomu upravleniyu proizvodstvennymi predpriyatiyami. 1st, Moscow, 1963. Avtomaticheskoye operativnoye upravieniye proizvodstvennymi protsessami (Automatic operative control of production processes): trudy konferentsii. Moscow, Izd-vo Nauka, 1965, 101-112

TOPIC TAGS: algorithm, computer control system, computer programming, computer theory

ABSTRACT: In formalizing the control and continuous industrial regulation algorithms by means of the table-address method and by generalized programming languages various researchers established the fact that the given algorithm consists of a series of periodically repeating standard operators. It became obvious that these operators should be realized within the system of commands of control computers. The present authors, consequently, present an appropriate system of commands and explain the writing down of such a system. They divide the control and the regulation algorithm into separate operations in such a way that the algorithm is divided into a minimum number of operators with

1/2 Card

L 2693-66 ACCESSION NR: AT5023167 a maximal repetition rate. O ASSOCIATION: None SUBMITTED: 11May65 NO REF SOV: 005	orig. art. has: 3 figures and 2 tables ENCL: 00 OTHER: 001	SUB CODE: DP, MA
	,	

"APPROVED FOR RELEASE: 04/03/2001


CIA-RDP86-00513R001756420020-4


L 10377-67 EWP(k)/EWT(d)/EWP(h)/EWP(1)/EWP(v) COURCE GO: S: UR/OLO3/66/CCO/CC2/C139/OLA8 ACC NR. A17003063 AUTHOR: Itskovich, E. L. (Moscow); Frakhtengerts, E. A. (Moscow) ORG: none TIME: Minimization of memory size for a program of centralized production control. Part 1 SOURCE: Avtomatika i telemekhanika, no. 8, 1966, 139-148 TOPIC TAGS: algorithm, computer memory AESTRAGT: The problem of compiling standard subroutines for realizing a centralized production control Elgorithm and determination of the volume of information to be processed by these subroutines is stated. A method is analyzed for determining the number of elementary operations required to run a standard subroutine. Orig. ert. has: 13 formulas and 1 table. [JTRD: 38,836] SUB CODE: 09 / SURM DATE: 26Nov65 / CRIG REF: 004 UDC: 681.142.352.4 Cord 1/1

的最高的复数形式 建工厂 电影电影 医皮肤 的现在分词

TRAKETENCERTS, E.A.; BRUK, B.N.; LOVETSKIY, S.Ye.


Experience with machine translation of special technical texts with partial grammatical agreement. NTI no.11:25-30 '63. (MIRA 17:2)






The Part of the Company of the Compa

SHVARTS, A.M.; TRAKHTENGERTS, E.A.; BRUK, B.N.; PURTO, V.A.; FISHKINA, V.L.






February Control of the State o

TRAKHTENGERTS, M.B., inzhener; CHURINOV, P.I.

母是的傳統

Work experience of road repair points on main highways with intensive traffic. Avt.dor.19 no.3:5-7 Mr *56. (MIRA 9:7) (Hoads--Maintenance and repair)



不可以是 对于原则是这些,但是 <mark>是如此,但 你们们的是是是是是是是是</mark>

ACCESSION NR: AP4012792

\$/0170/64/000/002/0048/0050

AUTHOR: Trakhtengerts, M. S.

TITLE: Calculation of the heat transfer through a multilayer wall with internal generation of heat

SOURCE: Inzhenerno-fizicheskiy zhurnal, no. 2, 1964, 48-50

TOPIC TAGS: heat transfer, multilayer wall, internal heat generation

ABSTRACT: The author discusses the case of an n-layers wall, each layer having a temperature-independent thermal conductivity constant λ_1 , and each layer generating an amount of heat q_{V1} . The temperature varies across the width of the wall only, and the boundary conditions may be of the first, second, or third kind. The goal consists in finding the temperature distribution within the wall and the associated heat flows. Using the boundary conditions of the third kind, the solution of the system of equations

$$\frac{d^2t}{dx^2} + \frac{q_{v1}}{\lambda_1} = 0 \ (1 = 1, 2, ..., n) \tag{1}$$

Card 1/3

ACCESSION NR: AP4012792

is in the plane case in the form

$$q_{x1} = \left(T_{x1} - T_{x2} - \frac{1}{2} \sum_{i=1}^{n} q_{vi} \frac{\xi_{i}^{2}}{\lambda_{i}} - \sum_{k=2}^{n} \frac{\delta_{k}}{\lambda_{k}} \sum_{i=1}^{k-1} q_{vi} \xi_{i} - \frac{1}{\alpha_{2}} \sum_{i=1}^{n} q_{vi} \xi_{i} \right) X$$

$$X \left(\frac{1}{\alpha_{1}} + \sum_{i=1}^{n} \frac{\delta_{1}}{\lambda_{1}} + \frac{1}{\alpha_{2}} \right)^{-1} . \qquad (5)$$

where $T_{\pm 1}$ and $T_{\pm 2}$ are the temperatures of the two liquids and the δ_4 's are the thicknesses of the layers. [Abstracter's note: α_1 and α_2 were not defined.] The maximum temperature is given by the expression

$$T_{\text{max}} = T_{\text{cri}} + \frac{q_{\chi_1}^2}{2\lambda q_{\chi_1}}$$
 (6)

Cord 2/3

ACCESSION NR: AP4012792

 $(T_{eri}$ is the temperature at x=0, etc.). Similar equations hold for the cylindrical case. The above equations may be generalized for the case of variable λ (T) and $q_{vi}(x)$ utilizing the function $\Phi(T,0)=\frac{T}{2}\lambda$ dT. Such equations can be used during the design of setups exhibiting internal generation of heat. Orig. art. has l1 equations.

ASSOCIATION: None

SURMITTED: 30Sep63

DATE ACQ: 26Feb64

ENCL: 00

SUB CODE: PH, NS

NO REF SOV: 003

OTHER: 000

Card 3/3

DEGTIAREV, S. N. and TRAKHTENGERTS, M. B.

Snegovye voenno-avtomobil'nye dorogi. Military automobile snow-roads . Moskva, Voenizdat, 1942.

SO: Soviet Transportation and Communication, A Bibliography, Library of Congress, Reference Department, Washington, 1952, Unclassified.

APPROVED FOR RELEASE: 04/03/2001 CIA-RDP86-00513R001756420020-4"

S/203/61/001/005/008/028 A006/A101

9.9869

AUTHORS:

Gershman, B.N., Trakhtengerts, V.Yu.

TITLE:

On the effect of ions on the nature of propagation of whistler

atmospherics

PERIODICAL: Geomagnetizm i aeronomiya, v. 1, no. 5, 1961, 671 - 678

Previous studies on the connection between the ion component in the upper atmosphere and peculiarities in the propagation of whistler atmospherics, did not yield final results. The authors analyzed the effect of ion motion on the nature of the trajectory of whistler atmospherics. The direction of group velocity was analyzed on the basis of the variance equation which characterizes the propagation of normal waves in a magnetoactive plasma. The motion of both electrons and ions was taken into account. The results obtained are used to analyze the trajectory of whistler atmospherics. Particular attention is paid to the regularities of passage of the low-frequency component through the upper atmosphere of the Earth. This component was recorded during the reception of atmospherics. The latter phenomenon is connected with the fact, that the presence of protons in the upper atmosphere may be essential for the propagation of radio-Card 1/2

VR

S/203/61/001/005/008/028 A006/A101

On the effect of ions ...

waves in the range of lowest frequencies. There are 3 figures and 13 references: 4 Soviet-bloc and 9 non-Soviet-bloc.

ASSOCIATION: Gor'kovskiy gosudarstvennyy universitet imeni N.I. Lobachevskogo (Gor'kiy State University imeni N.I. Lobachevskiy) Nauchno-issledovatel skiy radiofizicheskiy institut (Scientific Research Institute of Radiophysics)

SUBMITTED: July 20, 1961

Card 2/2

42144

* setyen r - coris

3,2430

\$/203/62/002/004/005/018 1046/1242

AUTHORS:

Gershman, B. H. and Trakhtengerts, V.Yu.

TITLE:

Dispersion of whistlers as a criterion of concentrat-

ions in solar corpuscular streams

PERIODICAL: Geomegnetizm i aeronomiya, v.2, no.4, 1962, 653-658

TEXT: Dispersion of whistlers (whistling atmospherics) in atmospheric regions disturbed by solar corpuscular streams at given latitudes is calculated from

D(45°)=0.6 $\sqrt{N_n}$; D(50°)=0.96 $\sqrt{N_n}$; D(60°)=4.1 $\sqrt{N_n}$; D(65°)=8.6 $\sqrt{N_n}$; where N_n is the unknown electron concentration in the corpuscular streams at the earth's orbit. The D-values calculated for N \sim 10⁴ - 10⁵ cm⁻³ are considerably higher than the experimental dispersion maxima for φ > 50°. Thus, the electron concentration at the earth's orbit should not exceed several thousand particles per cm³. All calculations are made without considering the plasma drift, a

Card 1/2

S/203/62/002/004/005/018 I046/I242

Dispersion of whistlers...

legitimate approximation for velocities $V\!\!\leq\!10^9$ cm/sec (the characteristic velocities of the corpuscular streams are $5\!\cdot\!10^7$ - 10^8 cm/sec).

ASSOCIATION: Radiofizicheskiy institut pri Gor'kovskom gosudarst-

vennom universitete (Radiophysical Institute at the

Gor'kiy State University)

SUBMITTED: March 26, 1962

Card 2/2

KOVNER, M.S.; TRAKHTENGERTS, V.Yu.

Interaction of weak corpuscular streams in the upper atmosphere. Geomag.i aer. 2 no.6:1053-1060 N-D *62. (MIRA 16:1)

1. Radiofizicheskiy institut pri Gor'kovskom gosudarstvennom universitete.

(Atmosphere, Upper)

Control of the sum of the control of

ANDRONOV, A.A.; TRAKHTENGERTS, V. Ya.

Instability of one-dimensional packets and the absorption of electromagnetic waves in a plasma. Zhur. eksp. i teor. fiz. 45 no.4:1009-1015 0 163. (MIRA 16:11)

l. Radio-fizicheskiy institut dor*kovskogo gosudarstvennogo universiteta.

ACCESSION MR: AP4031626

5/0203/64/004/002/0233/0242

AUTHORS: Andronov, A. A.; Trakhtengerts, V. Yu.

TITLE: The kinetic instability of the outer radiation belt of the earth

SOURCE: Geomagnetizm i aeronomiya, v. h, no. 2, 196h, 233-242

TOPIC TAGS: radiation belt, aurora, corpuscular stream, ultralow frequency, quasiequilibrium state

AllsTRACT: The authors have used quasilinear equations to construct a nonlinear chapty of instability of the earth's outer radiation belt. They have determined the values and time dependence of particle streams (electrons) leaving the belt, and they have computed the intensity of ultralow-frequency noise. Although complete hose of particles from the belt because of the indicated instability is very small (about 1-10% of the total number of particles), the differential loss at any definite energy level may be considerable. Loss of particles from zones corresponding to electron energies of 10-25 kev may amount to as much as 35% of the total number of electrons in this energy interval. In the quasiequilibrium state, the belt must therefore be a "pile-up" in the energy spectrum of electrons in the Cord 1/3

ł

ACCEDSION NR: AP4031626

energy zone of 11-25 kev. A "plateau" in the intermediate zone of the belt leads to a decrease in the initial anisotropy. In this zone the concentration of electrons at the maximum for the belt may change because of spatial redistribution of entrapped particles. Ultralow-frequency noise and particle streams in the atmosphere may be localized by longitude, since the drift time of electrons with onergies in the vicinity of 20 kev is on the order of 24 hours, much greater than the dumping time of the ultralow-frequencies. The presence of external sources of ultralow-frequency radiation (such as artificial sources) may change the redistribution time and the stream of particles leaving the belt. The authors consider their computations preliminary. They point out that a detailed explanation of the instability factor in the belt in producing the observed effects awaits an accumulation of experimental data on the electron spectrum in the belt and on simultaneous observations on the intensities of entrapped particles, ultralow-frequency noise, and polar auroras. The indicated mechanism probably applies chiefly to the middle latitudes. Other mechanisms may be at work in the zone of polar auroras, where the effect of solar corpuscular streams is direct. "The authors express their thanks to B. H. Gershman for his interest in the work and for his remarks." Orig. art. has: 1 figure and 31 formulas.

Cord 2/3

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4

CLASS TA A CONSCIPRIO PARA CONTRACTO DE CONT

ACCESSION NR: APh031626

ASSCCIATION: Radiofizicheskiy institut pri Gor'kovskom gosudarstvennom universitete (Institute of Radiophysics, Gorkiy State University)

SUBMITTED: 16Nov63

DATE AOQ: 30Aprol

ENCL: 00

SUB CODE: ES

NO REF SOV: 012

OTHER: 016

Card 3/3

1. 10 40 40 41 444(1)\400 0A

SOURCE CODE: UN/0053/66/089/002/0201/0225

AUTHOR: Gershman, B. N.; Trakhtengerts, V. Yu.

ORG: Scientific Research Radiophysics Institute of the Gor'kiy State University (Rauchno-issledovatel'skiy radiofizicheskiy institut Gor'kovskogo gosudarstvennogo universiteta)

TITLE: Very low frequency radio emission from the upper atmosphere and its connection with other geophysical phenomena

SOUNCE: Uspekhi fizicheskikh nauk, v. 89, no. 2, 1966, 201-225

TOPIC TAGS: vlf, vlf propagation, upper atmosphere, exosphere, artificial earth satellite

ABSTRACT: This is a review, with emphasis on the results obtained since 1960, of the information concerning the state of the exosphere which can be extracted from radio signals of variable frequency between 1 and 20 kcs (whistlers), especially the radio waves generated in the exosphere directly. The most essential results of recent years, obtained by reduction and analysis of whistler observations, are first reviewed. The different types of vlf radiation (hiss, chorus, and discrete radiation) are described and the results of systematic observations obtained with land based equipment and satellites are presented. This is followed by problems involved in the generation of different types of whistlers and an analysis of the significance of vlf moise in the dynamics of the earth's outer radiation belt, and the role of vlf radiation in the

Card 1/2

UDC: 551.59 + 621.396.1

"APPROVED FOR RELEASE: 04/03/2001

CIA-RDP86-00513R001756420020-4

L 10242-67

ACC NRI APG028552

dynamics of the earth's radiation belts. It is concluded that the recent experimental results can throw light on the origin of different types of vlf radiation, and that there are important grounds for assuming that this radiation is produced by high-energy particles in the earth's outer radiation belt and in the aurora zones. There are also reasons for assuming that the vlf radiation plays an important role in the dynamics of the earth's radiation belts. Several problems whose solutions will contribute to clarification of the nature of vlf radiation are listed. Orig. art. has: 6 figures and 35 formulas.

SUB CODE: EST. OH/ SUBM DATE: OO/ ORIG REF: OHI/ OTH REF: 090

Card 2/2.5/2

ACC NRI AP6032686

SOURCE CODE: UR/0203/66/006/005/0827/0836

AUTHOR: Trakhtengerts, V. Yu.


ORG: Institute of Radiophysics, Gor'kiy State University (Radiofizicheskiy institut

TITLE: Stationary states of the outer radiation belt around the earth

SOURCE: Geomagnetizm i aeronomiya, v. 6, no. 5, 1966, 827-836

TOPIC TAGS: distribution function radiation belt, kinetic instability, high

ABSTRACT: Formation of stationary states of the outer radiation belt around the earth is discussed under conditions of simultaneous action of the source of high-energy electrons and kinetic instability. These lead to the excitation of ultra-low frequency waves, upon which the particles diffuse into an escape funnel. The direct injection of energetic particles as well as a variety of accelaration mechanisms may serve as the source of kinetic instability. Heterogeneity of the belt is considered. The stationary spectrum of VLF noise and the distribution function for the electrons of the radiation zone are found. In general, it was established that under the investigated conditions stationary distribution of electrons f_0 , having the following properties, takes place: f_0 is almost independent of the source of power Iq. Stationary density of the current of electrons in the maximum of the zone is $S_{\text{Lmax}} \sim 4 \times 10^8$ to 5×10^9 Card $^{1/2}$



ORIGORITEV, G.I.; KOVNER, M.S.; NIKIFOPOVA, O.G.; OHOLENSKIY, L.M.; SAMIOHOV, A.V.; TRAKHTENGERTS, V.Yu.

Logarithmically periodic helical irradiator for a parabeloid with a frequency overlap of 1:7. Izv. vys. ucheb. zav.; radiofiz. 8 no.4:768-770 '65. (MIRA 18:9)

1. Gor'kovakiy gosudarstvennyy universitet.

STATE OF THE STATE

